

LMA850-1500D Colloidal cement bentonite slurry grout mixer



◆ Product Description

The LMA850-1500D Colloidal cement bentonite slurry grout mixer adopts an integrated design. The mixer, agitator and diesel engine are all mounted on a single base frame. Featuring a compact structure and easy transportation, the equipment is mainly used for cement slurry mixing, and widely applied in above-ground and underground engineering projects such as highways, railways, hydro power stations, construction and mining.

This high-speed vortex mixing technology enables fast and uniform blending, allowing water and cement to merge rapidly and form a homogeneous slurry.


◆ Product Feature


1. Compact and reliable structure.
2. Easy to operate and convenient to maintain.
3. Fewer spare parts are required, effectively reducing maintenance costs.
4. The high-speed vortex mixer delivers fast and uniform mixing.
5. Wide range of application.
6. Diesel engine driven, applicable in field areas without power supply.


◆ **Product Specification**


Name		Data
Model		LMA850-1500D
Mixer	Capacity	850L
	Rate Rev.	Max.1600rpm
	Production Capacity	13m3/h
Agitator	Capacity	1500L
	Rate Rev.	55 rpm
Diesel Engine Power		CF3B35G, 25.8KW@2400rpm
Fuel Tank Capacity		45L
Dimension		3300×2150×2200mm
Weight		1785Kg
We can also customize products according to your needs.		

◆ Detail Part









◆ Other details





Zhengzhou Lead Equipment Co., Ltd.

Add: Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district, Zhongyuan District,
Zhengzhou, Henan

P.C.: 450042

Web: www.leadcrete.com; www.leadcrete.net

Email: sales@leadcrete.com

Phone/Whatsapp/Wechat: +86-18538591025