

LCP15H-D Hose type concrete pump for pumping concrete



Product Description:

LCP15H-D hose type concrete pump was designed based on the squeeze hose pump, the concrete pump uses high pressure, wear resisting extruded tubes. More widely used for pumping foam concrete, lightweight form concrete, mortar and refractory materials. The concrete pump also could be used for spraying concrete or refractory materials.


Product Feature

1. Compact size, hopper, extrusion pumps, power sources combined in a base frame.
2. Adopting squeeze type pumping, the squeeze hose is the only wearing parts.
3. Imported special concrete squeeze tubes, pressure, wear, long life.
4. Clean on the line, sample, convenient.

Product Specification

| Description | parameter |
|--|--------------------------------|
| Squeeze Pump | LH76-610 |
| Hose ID | 76mm (Trelleborg Squeeze hose) |
| Speed | 37rpm |
| Output | 15m ³ /h |
| Pressure | 2.5Mpa |
| Max. Aggregate size | <15mm |
| Concrete Slump | 15-23cm |
| Hopper Capacity | 350L |
| Stirring speed | 37rpm |
| Diesel engine power | 30KW |
| Overall Dimension | 2400x2100x1800mm |
| Weight | 2300kg |
| Used for spraying, recommend air compressor: the output is 6m ³ /h, the pressure≥0.5bar | |

Product detailed part



Zhengzhou Lead Equipment Co., Ltd.

Add: Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,
Zhongyuan District, Zhengzhou, Henan

Web: <https://www.leadcrete.com>

E-Mail: sales@leadcrete.com

TEL.: +86-371-63902781

FAX: +86-371-63526676