

LRM Refractory Pan Mixer

Description:

LRM refractory pan mixer is specially designed for mixing refractory, castables materials etc. Which is available in a stationary or practical mobile design, is characterised by top performs. In order to ensure easy to move in the working site, LRM100 and LRM250 refractory pan mixer is equipped with walking wheel, LRM500 have forklift hole in the frame. There is high wear-resistant steel liner in the mixer bottom and inner wall, five pieces different purpose mixing arms could ensure refractory materials mix evenly and void sticking.



LRM100 & LRM250 Model



LRM500 Model

Product Features:

- ★ Pan mixer;
- ★ Special designed for site operation;
- ★ Fast mixing speed and homogenous;
- ★ Compact structure;
- ★ Comfortable feeding height;
- ★ Easy to move;
- ★ With bag breaker;
- ★ Water spray nozzles;
- ★ Low maintenance cost.



郑州佰利得机器制造有限公司


Zhengzhou Lead Equipment Co., Ltd.

地址 ADD: 郑州市中原区西流湖街道办事处铁炉村西四环东
Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,
Zhongyuan District, Zhengzhou, Henan

邮编 P.C.:450042

网址 (Web): <http://www.leadcrete.com> E-Mail: sales@leadcrete.com

电话 TEL.: +86-371-63902781, 67816598 传真 FAX: +86-371-63526676



Safety Feature:

If the top lid door is opened in between the operation, machine can stop automatically. Because there is a limit switch between the top lid door and the hopper, once the top lid is opened, the power will cut off automatically and confirm the safety for operator.



Water line

Limit switch



郑州佰利得机器制造有限公司

Zhengzhou Lead Equipment Co., Ltd.

地址 ADD: 郑州市中原区西流湖街道办事处铁炉村西四环东
Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,
Zhongyuan District, Zhengzhou, Henan

邮编 P.C.:450042

网址 (Web): <http://www.leadcrete.com> E-Mail: sales@leadcrete.com

电话 TEL.: +86-371-63902781, 67816598 传真 FAX: +86-371-63526676

Specifications

Item	LRM100	LRM250	LRM500
Mixing capacity	100kg	250kg	500kg
Rotating speed	49rpm	46rpm	33rpm
Motor Power	4kw	7.5kw	11kw
Feeding Height	1000mm	1150mm	1300mm
Dimensions (mm)	810x810x1090	1020x1020x1120	1250x1250x1300
Weight	420kg	650kg	890kg

Note: Technical data may change due to technical progress, subject to modification without notice.

Packing and Delivery





郑州佰利得机器制造有限公司

Zhengzhou Lead Equipment Co., Ltd.

地址 ADD: 郑州市中原区西流湖街道办事处铁炉村西四环东
Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,
Zhongyuan District, Zhengzhou, Henan

邮编 P.C.:450042

网址 (Web): <http://www.leadcrete.com> E-Mail: sales@leadcrete.com

电话 TEL.:+86-371-63902781,67816598 传真 FAX:+86-371-63526676

Applications:

LRM refractory mixer is used for mixing refractory materials, castables, friction materials, chemical materials, precast concrete, mortar, aggregate mixing and glass materials etc. Could work together with refractory wet shotcrete machine, used for refractory materials spraying project in the steel industry.

