

## **LDS2000G Small Wet Shotcrete Pump For Sale**

### **Description**

The LDS2000G is a lightweight shotcrete pump run by a highly-reliable direct drive planetary gearbox and hydraulic power pack. This sturdy workhorse is made better with the added improvement of a direct drive to the carousel. This pump could be used for dome- building, swimming pool etc. projects.

### **Application**

1. For pumping/grouting/spraying mortar/plaster
2. For pumping cellular light weight concrete
3. For pumping of wet normal concrete, acceptable max. aggregate size is 10mm

### **Features**

- 1) Highly-reliable direct drive planetary gearbox
- 2) Infinite speed variation
- 3) Specially hopper/ agitator stir design
- 4) Honda GX390 and GX630 gasoline engine for option
- 5) Easily operating on site work
- 6) Standard spare part supply





# 郑州佰利得机器制造有限公司

Zhengzhou Lead Equipment Co., Ltd.

地址 ADD : 郑州市中原区西流湖街道办事处铁炉村西四环东 邮编 P.C.:450042  
Xisihuan Ring-Road East, Tielu,Xiliu lake sub-district,  
Zhongyuan District, Zhengzhou,Henan

网址 ( Web ) :<http://www.leadcrete.com> E-Mail: [sales@leadcrete.com](mailto:sales@leadcrete.com)

电话 TEL : +86-371-63902781 传真 FAX:+86-371-63526676

## Technical Data Sheet

Item	Description
Working Pressure	1.5 Mpa (Chinese Hose)/3.5 Mpa (Trelleborg Hose)
Output	6-8m <sup>3</sup> /h
Max. Aggregate	10mm
The Squeeze Hose	ID 50mm
Conveying Hose	ID 50mm
Squeeze pump	LH50-680
Power	Honda GX390 Gasoline Engine (low pressure) Honda GX630 Gasoline engine(high pressure)
Hopper volume:	240 Liter
<b>Hopper rated rev.</b>	<b>76r/min</b>
Oil tank	130 Liter
Requested air compressor	6m <sup>3</sup> /min, 0.6Mpa Pressure
Vertical Conveying Distance	15 m (Chinese Hose)/30 m (Trelleborg Hose)
Horizontal Conveying Distance	40 m (Chinese Hose)/80 m (Trelleborg Hose)
Weight	900kg
Overall Dimension	2350x1250x1450mm

Note: the diesel engine or Electric motor is for optional.

地址 ADD : 郑州市中原区西流湖街道办事处铁炉村西四环东  
Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,  
Zhongyuan District, Zhengzhou, Henan

邮编 P.C.: 450042

网址 ( Web ) : <http://www.leadcrete.com> E-Mail: [sales@leadcrete.com](mailto:sales@leadcrete.com)

电话 TEL : +86-371-63902781 传真 FAX: +86-371-63526676



**List of parts in a complete of LDS2000 shotcrete pump**

No.	Description	Qty.	Unit	Remarks
1	LDS2000 main machine	1	set	
2	conveying hose, ID50, L10m	1	pcs	
3	reducer 2"/1.5'	1	pcs	
4	2" or 1.5" shotcrete nozzle assy.	1	set	
5	2" or 1.5" nozzle tip	1	pcs	
6	clamp	2	sets	One set ( one 1.5", one 2")
7	clean ball	2	pcs	One set ( one 1.5", one 2")
8	accessories	1	set	

**Pictures**

**Detailed parts:**


地址 ADD : 郑州市中原区西流湖街道办事处铁炉村西四环东  
Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,  
Zhongyuan District, Zhengzhou, Henan

邮编 P.C.: 450042


网址 ( Web ) : <http://www.leadcrete.com> E-Mail: [sales@leadcrete.com](mailto:sales@leadcrete.com)

电话 TEL : +86-371-63902781 传真 FAX: +86-371-63526676

### Hydraulic motor and gearbox



### Hopper/ agitator stir design





# 郑州佰利得机器制造有限公司

## Zhengzhou Lead Equipment Co., Ltd.

地址 ADD : 郑州市中原区西流湖街道办事处铁炉村西四环东  
Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,  
Zhongyuan District, Zhengzhou, Henan

邮编 P.C.: 450042

网址 ( Web ) : <http://www.leadcrete.com> E-Mail: [sales@leadcrete.com](mailto:sales@leadcrete.com)

电话 TEL : +86-371-63902781 传真 FAX: +86-371-63526676


**Honda GX390 or GX630 gasoline for option**



**OLI vibrator(DC):**



**YUKEN hydraulic valves**



**Shock-resistant pressure gauge**



**Wearing spare parts:**

**Squeeze hose/tube, Trelleborg hose and Chinese hose for option**





# 郑州佰利得机器制造有限公司

Zhengzhou Lead Equipment Co., Ltd.

地址 ADD : 郑州市中原区西流湖街道办事处铁炉村西四环东  
Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,  
Zhongyuan District, Zhengzhou, Henan

邮编 P.C.: 450042

网址 ( Web ) : <http://www.leadcrete.com> E-Mail: [sales@leadcrete.com](mailto:sales@leadcrete.com)

电话 TEL : +86-371-63902781 传真 FAX: +86-371-63526676

---

**Clamp**



**Clean ball**



**Nozzle assembly**



**Nozzle tip**





# 郑州佰利得机器制造有限公司

Zhengzhou Lead Equipment Co., Ltd.

地址 ADD : 郑州市中原区西流湖街道办事处铁炉村西四环东  
Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,  
Zhongyuan District, Zhengzhou, Henan

邮编 P.C.: 450042

网址 ( Web ) : <http://www.leadcrete.com> E-Mail: [sales@leadcrete.com](mailto:sales@leadcrete.com)

电话 TEL : +86-371-63902781 传真 FAX: +86-371-63526676

## Application



## Zhengzhou Lead Equipment Co., Ltd.

Add : Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,

Zhongyuan District, Zhengzhou, Henan

Web: <http://www.leadcrete.com> E-Mail: [sales@leadcrete.com](mailto:sales@leadcrete.com)

TEL: +86-371-63902781 FAX: +86-371-63526676